PRESS RELEASE

Sources: Tokyo Institute of Technology Tohoku University Tokyo University of Agriculture and Technology Kyoto University

For immediate release: September 18, 2019

Subject line: Scientists develop DNA microcapsules with built-in ion channels

(Tokyo, September 18 2019) A Research group led by Tokyo Tech reports a way of constructing DNA-based microcapsules that hold great promise for the development of new functional materials and devices (Figure 1). They showed that tiny pores on the surface of these capsules can act as ion channels. Their study will accelerate advances in artificial cell engineering and molecular robotics, as well as nanotechnology itself.




Figure 1. Conceptual illustration of DNA nanoplate-based microcapsules

DNA-based, self-assembled nanostructures are promising building blocks for new kinds of micro- and nanodevices for biomedical and environmental applications. Much research is currently focused on adding functionality to such structures in order to expand their versatility.

For example, engineered capsules called liposomes that have a lipid-bilayer membrane are already successfully being used as sensors, diagnostic tools and drug delivery systems. Another group of capsules that do not have a lipid bilayer but are instead composed of colloidal particle membrane, known as Pickering emulsion¹ or colloidosomes, also have potential for many biotechnologically useful applications.

Now, a research group led by biophysicist <u>Masahiro Takinoue</u> of Tokyo Institute of Technology reports a new type of Pickering emulsion with the added functionality of ion channels — an achievement that opens up new routes to designing artificial cells and molecular robots.

"For the first time, we have demonstrated ion channel function using pored DNA nanostructures without the presence of a lipid-bilayer membrane," says Takinoue.

The team's design exploits the self-assembling properties of DNA origami nanoplates². The resulting Pickering emulsions are stabilized by the amphiphilic³ nature of the nanoplates. (See **Figure 2**.)

One of the most exciting implications of the study, Takinoue explains, is that it will be possible to develop stimuli-responsive systems — ones that are based on the concept of open–close switching. Such systems could eventually be used to develop artificial neural networks mimicking the way the human brain works.

"In addition, a stimuli-responsive shape change of the DNA nanoplates could serve as a driving force for autonomous locomotion, which would be useful for the development of molecular robots," Takinoue says.

The present study highlights the team's strengths in combining DNA nanotechnology with a perspective grounded in biophysics and soft-matter physics.




Figure 2. Representation of DNA nanoplate-based microcapsules

(a) Two types of DNA nanoplates (non-pored and pored) were constructed and modified to confer hydrophobicity to one face of the nanoplates. The resultant amphiphilic DNA nanoplates self-assemble at the oil-water interface to form emulsion droplets, or microcapsules, even without any supporting membrane such as lipid membrane.

(b) The nanopores were successfully shown in this study to function as ion channels between two microcapsules.

Technical terms

¹ Pickering emulsions: Microcapsules formed by the assembly of colloidal particles at the interface of emulsion droplets.

² DNA origami nanoplates: Nanoscale building blocks formed by an assembly technique that "folds" DNA molecules into desired structures.

³ amphiphilic: A term describing compounds that have both hydrophilic and lipophilic properties, meaning that they have a good affinity for water and oil.

References

Daisuke Ishikawa,^{a†} Yuki Suzuki,^b Chikako Kurokawa,^c Masayuki Ohara,^d Misato Tsuchiya,^a Masamune Morita,^a Miho Yanagisawa,^{c,e} Masayuki Endo,^f Ryuji Kawano,^d Masahiro Takinoue^{a*}, DNA Origami Nanoplate-Based Emulsion with Nanopore Function, *Angewandte Chemie International Edition* (2019) , DOI: 10.1002/anie.201908392

Affiliations

^a Department of Computer Science, Tokyo Institute of Technology

^b Frontier Research Institute for Interdisciplinary Sciences, Tohoku University

^c Department of Applied Physics, Graduate School of Engineering, Tokyo University of Agriculture and Technology

^d Department of Life Science and Biotechnology, Tokyo University of Agriculture and Technology

^e Komaba Institute for Science, Graduate School of Arts and Sciences, The University of Tokyo

^f Department of Chemistry, Graduate School of Science, Kyoto University

⁺ Present address:

Research Center for Gold Chemistry, Graduate School of Urban Environmental Sciences, Tokyo Metropolitan University

*Corresponding author's email: takinoue@c.titech.ac.jp

Related links

Takinoue Lab, Tokyo Tech http://www.takinoue-lab.jp/en/

Labs spotlight – Takinoue Laboratory https://educ.titech.ac.jp/bio/eng/news/2019_05/057401.html

Formation of Artificial Cells with a Skeletal Support Reinforcement to withstand Application Realized https://www.titech.ac.jp/english/news/2017/038714.html

Successful use of DNA as a computer in artificial cells - Realizing molecular robots that work in vivo https://www.titech.ac.jp/english/news/2017/038415.html

Contact

Emiko Kawaguchi Public Relations Section, Tokyo Institute of Technology E-mail: <u>media@jim.titech.ac.jp</u> +81-3-5734-2975

About Tokyo Institute of Technology

Tokyo Tech stands at the forefront of research and higher education as the leading university for science and technology in Japan. Tokyo Tech researchers excel in fields ranging from materials science to biology, computer science, and physics. Founded in 1881, Tokyo Tech hosts over 10,000 undergraduate and graduate students per year, who develop into scientific leaders and some of the most sought-after engineers in industry. Embodying the Japanese philosophy of "monotsukuri," meaning "technical ingenuity and innovation," the Tokyo Tech community strives to contribute to society through high-impact research.

https://www.titech.ac.jp/english/